




COOKIE BAKERY

ULTRAVAPOR DEMONSTRATION RESULTS



Equipment demonstrated: UltraVapor 9 KW Super, vacuum, 78 cm lance, 9 cm lance, brush tool, floor suction tool & 25 cm belt suction tool.



Cleaning conveyor belts—solid conveyors can be easily and quickly cleaned with brush tools and suction tools. On the left grease, water (from cleaning dipping screen) and light soils are removed using a 25 cm suction tool. Belt is left dry and sanitized. A jig can be used to hold the tool creating a portable CIP system. To the left ingrained dirt (several months or years of build up) and hardened mallow filling are removed using a PEEK brush tool and vapor. Final cleaning with a suction tool will leave belt clean and dry.







Melt away chocolate from framework of equipment and floors.






“Polish” metal work by cleaning soils from pores in stainless.





Cleaning with the vapor lance—using vapor and detergent for quick thorough cleaning






Both pieces of equipment were cleaned using the long lance on a vapor and detergent setting. Less than a cup of liquid was used and areas were cleaned in seconds.





Deep and detail cleaning of framework is easy using lances and brush tools. Vapor is capable of cleaning in tight spaces and crevices. Low moisture makes it safe around electrical equipment and sensors.



Peanut residue is removed easily and quickly removed from the bagger—UltraVapor is faster and more effective than current practice of blowing with compressed air and then scraping & wiping down. UltraVapor is also much more effective at allergen cleaning (see GFTC study). Heavy grime build up on the underside of the framework is easily removed.



UltraVapor easily cleans ink from the framework and conveyor belt. Floor suction tool used to remove ink on floor that came off framework and conveyor.



Quickly cleaned light oil and dust/powder from motor without worry about water damage or electrical shorts.